
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

















WATER SUPPLY OUTLOOK FOR LABRICAL DISTRIBUTION MONTANA .IAN 1 ? 1970

COMMITTEE THE RECORDS FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

UNITED STATES DEPARTMENT of AGRICULTURE...SOIL CONSERVATION SERVICE. and

MONTANA AGRICULTURAL EXPERIMENT STATION

Data included in this report were obtained by the agencies named above in cooperation with Federal, State, and private organizations listed on the inside back cover of this report.



TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most af the usable water in western states ariginates as mauntain snawfall. This snawfall accumulates during the winter and spring, several manths before the snaw melts and appears as streamflaw. Since the runaff fram precipitation as snow is delayed, estimates of snawmelt runaff can be made well in advance af its accurrence. Streamflow forecasts published in this report are based principally an measurement of the water equivolent of the mountain snawpack.

Farecasts became mare accurate as more of the data affecting runoff are measured. All farecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect an runoff. Early season farecasts are therefore subject to a greater change than those made on later dates.

The snaw caurse measurement is obtained by sampling snaw depth and water equivalent ot surveyed and marked lacatians in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snaw depth and water equivalent. These measurements are repeated in the same lacation near the same dates each year.

Snow surveys are made monthly ar semi-monthly from January 1 through June 1 in most states. There are about 1400 snaw caurses in Western United States and in the Calumbio Basin in British Columbia. In the near future, it is anticipated that automatic snaw water equivalent sensing devices along with radia telemetry will pravide a continuous recard af snaw water equivalent at key locations.

Detailed data an snaw caurse and soil maisture measurements are presented in state and lacal reports. Other data an reservair starage, summaries of precipitation, current streamflaw, and sail maisture canditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snaw accumulation to date, and storage in larger reservairs.

Snaw survey and sail maisture data far the periad of record are published by the Sail Canservatian Service by states about every five years. Data far the current year is summarized in a West-wide basic data summary and published about October 1 af each year.

PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Canservation Service publishes reparts fallowing the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reparts for Western United States and all state reports may be obtained from Soil Conservation Service, Western Regional Technical Service Center, Raam 209, 701 N. W. Glisan, Portland, Oregan 97209.

Copies af stote and lacal reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	P. O. Bax "F", Palmer, Alasko 99645
Arizona	6029 Federal Building, Phaenix, Arizona 85025
Colorado (N. Mex.)	12417 Federal Building, Denver, Colarada 80202
Idaha	Raom 345, 304 N. 8th. St., Baise, Idaho 83702
Mantana	P. O. Box 98, Bozeman, Mantana 59715
Nevoda	P. O. Box 4850, Rena Nevada 89505
Oregan	1218 S. W. Washingtan St., Partland, Oregan 97205
Utah	4012 Federol Building, Salt Lake City, Utoh 84111
Washingtan	360 U.S. Caurt Hause, Spokane, Washington 99201
Wyaming	P. O. Box 340, Casper, Wyoming 82601

PUBLISHED BY OTHER AGENCIES.

Water Supply Outlaak reparts prepared by ather agencies include a repart far California by the Water Supply Forecast and Snaw Surveys Unit, California Department of Water Resources, P.O. Box 388, Sacramenta, California 95802 --- and far British Columbia by the Department of Lands, Farests and Water Resources, Water Resources Service, Parliament Building, Victoria, British Calumbia

CONSERVATION OF WATE

WATER SUPPLY OUTLOOK FOR MONTANA

and FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Issued by

KENNETH E. GRANT

ADMINISTRATOR SOIL CONSERVATION SERVICE WASHINGTON, D.C.

Released by

A. B. LINFORD

STATE CONSERVATIONIST SOIL CONSERVATION SERVICE Bozeman, Montana

In Cooperation with

J. A. ASLESON

DIRECTOR

Montana Agricultural Experiment Station

Report prepared by

P. E. FARNES, Snow Survey Supervisor

SOIL CONSERVATION SERVICE P.O. Box 98 Bozeman, Montana 59715





TABLE OF CONTENTS

WATER SUPPLY OUTLOOK	Page
MAP OF SNOW COURSES AND SOIL MOISTURE STATIONS	3
SNOW SURVEY DATA	4-6
SOIL MOISTURE MEASUREMENTS	7-9
RESERVOIR STORAGE	10
COOPERATORS Inside Back (Cover



MONTANA WATER SUPPLY OUTLOOK

January 1, 1970

*	* * * * * * * * * * * * * * * * * * * *	*
*		*
*	The snowpack is below average over most of the	*
×	State, but is near or above average in the	*
*	lower Gallatin and in a portion of the Yellow-	*
*	stone and central Montana drainages.	*
*		*
×	Moisture in the soils beneath the snowpack is	*
*	generally below average, but is above average	*
*	in the lower Gallatin drainage.	*
*		*


COLUMBIA RIVER DRAINAGE

<u>Snow</u> - January measurements were not made in the Kootenai River drainage; however, snowpack is expected to be 50 to 60 percent average, as it is in the Flathead and Clark Fork drainages.

Most of the snowfall accumulated near the first of the year.

Soil moisture was below average throughout the summer and fall, and soils beneath the snowpack have below average moisture.

Streamflow - Since present measurements are near the beginning of the snow accumulation period, estimates of streamflow are not made until March 1.



MISSOURI RIVER DRAINAGE

YELLOWSTONE RIVER DRAINAGE

<u>Snow</u> - Surveys made at a few snow courses indicate variable conditions. In the Judith, Musselshell, Smith and lower Gallatin drainages, heavy snowpack that occurred early in the season, combined with heavy snowfall near the first of the year resulted in well above average conditions. Elsewhere, snowpack is below average.


Soil moisture beneath the snowpack follows the pattern of January 1 surveys. Areas with above average snow have average or above average moisture. Soil moisture is deficient in low snowpack areas.


<u>Streamflow</u> - No forecasts of streamflow are made until March 1 when the status of the mountain snowpack becomes more definite.

Snow - Snow cover at a few snow courses is near average in and near the drainage in Montana, but is below average in the southern portion of headwaters in Yellowstone National Park.

Soils beneath the snowpack contain less moisture than usual.

Streamflow - Streamflow forecasts will not be made until March 1.





INDEX to MONTANA SNOW COURSES and SOIL MOISTURE STATIONS

Moss. 8y 2/		2	, , , , ,	1 2 8 1			10	6 7	9	~ ~ ~ ~	9			,	Urces Wildlife	SHO
Measuring Dates	11 44 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4,5,5%	Monthly Monthly Monthly Monthly Monthly	Monthly Monthly Monthly Monthly	Monthly		Monthly	Monthly Monthly	Monthly Monthly Monthly Monthly	Monthly Monthly Monthly Monthly	Month ly Month ly		. Hay 1. ?	ent Statio	Department of Energy, Mines & Resources Department of Energy, Mines & Resources U. S. Auseau of Sport Fisheries & Widile	
		inini 			1962 Mo 1963 No				1966 Mc 1956 Mc 1965 Mc	ж 1963 ж 1963 ж	1960 H		., Apríl l	: .1 Experim	Spore 75	
Racord	1961 1937 1938 1938 1940 1960 1961 1961 1960	TION	1964 1964 1964 1964 1956	1965 1961 1963 1964		BASIN	1962	E 1961 N 1966					March 1	follows	school int of E	
Range	PE 8 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	STA R BAS	N 35W N 25% N 29W N 19W	N 15W N 15W N 15W	2S 19W		14S 2W	3s 1E 13S SN	1N 6E 2S SE 4S 6E 11S SE	29N 16E 13N 8E 28N 16E 13N 7W	2N 7E 9S 14E		wery 1,	rvey as	Deparent	FLA
<u>غ</u>	111 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	R E	5 25N 5 34N 2 26N 2 26N 3 30N 34 30N	26 6N 11 13N 21 17N 30 6N	4 2 11 10	RIVER	23 14	34 13	255 1 18 2 10 4 1 11 11	21 22 22 22 16 11 16	33 33		LEGEND January 1, February 1,	s work su		Des
Elev. Sec.	7500 1 78500 1 81500 1 81500 1 84000 2 77850 2 77850 1 77850 1 77850 1 88000 1 8000 1 8	DIST(3000 3000 3050 3050 5600 2 5250 3	7100 2 4100 1 4030 2 7260 3	7100 5250 1	MISSOURI	6700 2	4800	7250 2 4856 1 6860 1 7150	3950 7420 4700 6350	7350 3			ikas the		He
	~	COLU			13D18H 7	MISS	ILEI3M 6	9 H20311	10015H 7 11D02H 4 10D13H 6	1N STEM 9A05H 9A01H 12C08H 6	10001H 6		refer to	that ma	Irvey ny ny	Ho Ma
Muber	10000 10000	80	15815M 14A10M 15A02M 13AD2M 13AD2M	13C13M 13C14H 13B15H 13C3M			œ	110	10D 11D 10D 11E	MAIN 94 100 120	1VER 100		5,58,6	Conserva	Elcal Sorvio	Sp
Drainage Sasin & Course Name	UPPER YELLOWSTC Bald Ridge Camp Senia Coole Station Cristaly Peak Independent Fisher Creak Independent Ridge Coole Rountain Cristaly Peak Independent Ridge Coole Ridge Ridge Coole Ridge Ridge Coole Ridge	Mice Hill KOOTENAI RIVER	Raree Trail Murphy Lake R.S. Raven R.S. FLATHEAD RIVER Desert Mountain Marias Pass		Cibbons Pass Lolo Pass		BEAVERHEAD RIVE Lakeviev	MADISON RIVER Red Bluff Weer Yellovetone	GALLATIN RIVER Bridger 80vl College Site Lick Greek Tventy-One Hile	MISSOURIRIVER Beaver Creek Kings Hill Rocky 80y Stemble Pass	YELLOWSTONE R Sattle Ridge Northeast Entrance		1/ Numerals 1,2,3,4,5,5,5,6 and Juns 1,	TA D	2. U. S. Porest Service 3. U. S. Ceological Survey 4. Montane Frant Company 5. U. B. Indian Service 6. U. B. Indian Service	CL B1
N.89.8. By 2/	1,12		1181221	1,2 2 2 2 2 2 1 2 2 2 2 3 3 5 6	7	2			~ I R I	001210						Co
Messuring Oates	uuuuu aa 44444 444 444444 4444	2 2 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2. 1 4. 2. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3,4,5	1,2,3,4,5,5%,6 1,2,3,4,5,5%,6 1,2,3,4,5	1,2,3,4,5,5,5,6	1,2,3,4,5,5,5,6 1,2,3,4,5,5,5,6 1,2,3,4,5	1,2,3,4,5		1,2,3,4,5 1,2,3,4,5 1,2,3,4,5 1,2,3,4,5	3,4,5	ม ผ ผ ผ ผ ผ ผ จังจังจังจัง บังกักกัก		3,4,5	Ho Ho
Record	1967 11963 11967 11967 11967 11963 11963			1968 1968 1961 1965 1965 1965				1967 1936 1967 1934		1969 1969 1963 1969 1938			1948 1948 1969 1969 1969		1966	H
Range	38 38 38 38 38 38 38 38 38 38 38 38 38 3	1352 252 252 253 253 253 253 253 253 253	22 22 22 22 22 22 22 22 22 22 22 22 22	32 E E E E E E E E E E E E E E E E E E E	5 E	35	3E 3E	6E 6E 5E	16E 3E 54	11E 10E 8E 4DE 8E 12E	11E 8E 16E 74 64	2 411	76 77 77 77 77 77 77 77 77 77 77 77 77 7		17E 18E 18E	
اغ	45 45 45 45 45 45 45 45 45 45 45 45 45 4	ANN SERVE SER	88 45 115 65 115 115	145 125 125 105 105 115 125 135	145	55 65 1N 105	7 S S S S S S S S S S S S S S S S S S S	35 55 95 115	28N 9N 8N 12N	111 88 68 98 111	13N 13N 13N 8N	27N 28N 28N 23H	25x 25x 25x 25x 25x		12N 12N 12N	I
86	2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	29 8 113 110 117 127 129	21 22 22 13 27 23	28 31 24 33 17 119 15	1.9	3 25 18	14 22 10 22 10	24 14 26 1	21 2 2 2 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3	34 10 26 19 19	35 22 11 12 13 13	33.2 4	25 20 11 32 17	:	24 19 20	
Elev.	8850 8600 7900 7850 8500 8600 8600 8280	7300 6500 6500 6500 6500 6500 6500	8050 6900 6550 7500 6100 8760	7750 7000 7500 7150 8300 7600 8003 6700	9890	7350 8150 725D 9000	0099	6210 6700 8100 8500 7150	\$200 7950 6200 6450	7600 7000 8000 6400 7000 8050	5450 7500 6600 6600	8000 8000 6900 5200	0000		71D0 6100 5600	9
Musber	11016 11008 12007 11015 12005 13020 13020 13020		11007 11012 11005 11005 11622 11628	11621 11623 11003 14621 11620 11624 11624	11E30	19014 11009 10015 11E29	10013	10018 10001 10016 11013 11E06	LL.	10013 10013 10007 10014 10002 10011	10C12 10C01 9A01 12C02 12C02	12C04 RIAS RIVER 13A15 13A20 12BD6	12809 12801 12807 12812 12813 12813 12804		9002	
Drainege Basin & Course Name	RUBY RIVER Stephan Lakes Clover Readow Divides Notch Notch Swegler Hine BIG HOLF RIVER Adundance Lake Recaller Front Rever	Pallsade Greek Slag-A-Helt Lake Slag-A-Helt Lake JEFFRSON RIVER Sperre Meadow Copper Houncain Nex Perrec Greek Plenie Grounds Riverscone Rass Riverscone Rass Riverscone Rass Wocker Rass Unelle Sam Outek	MADISON RIVER Call Road Four Mile Hebgen Dan Jack Creek Like Greek Lion Wountain	Sadison Plateau Sadison Plateau Meridian Creek North Meadow Potomageton Park Sentinel Greek Soap Bogus Divide Tope Creek West Yellowstone	Whiskey Greek GALLATIN RIVER	Arch Falls Sear Basin Eridger Howl Carrot Basin	Hood Meadow Liek Greek Litele Park	Haynard Creek Nev World Shover Falls Taylor Peaks Twenty-One Mile	M1SSOURIRIVER 8ear Pau Ski Area 8oulder Mountain Chesman Reservoir Octobran Creek	Dalay Peak Eagle Creek Elk Peak Forest Lake Grassiopper Haymaker	Johnson Park Kings Hill Rocky Boy Stemple Pass Ten Mile Lower Ten Mile Middle	Ten Mile Upper SUN-TETON-MA 8adger Pass 8ue Laie Cabin Creek	Five-Bull Freight Creek Gost Muntain Hount Lockhart Waldron Wrong Creek	JUDITH RIVER	Avalanche Crystal Lake Rock Greak	
Heas.	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	222	11111111111111111111111111111111111111	11.5	1,2		2 2 2 8 8 8	0000	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~			6 6 6 6 6 6 6 6 6 6	- 5		,	
Measuring Dates 1/	4 444444444444444444444444444444444444	22 22 22 22 22 22 22 22 22 22 22 22 22	2, 2, 2, 4, 5, 5, 5, 6, 6, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5,	1,2,4,5 1,2,6,5,5,6 1,2,0,4,5 1,2,0,4,5 1,2,0,4,5 1,2,0,4,5	1,2,3,4,5,5\$,6 3,4,5 3,4,5	2	2,3,4,5	2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2	2,3,4,5 1,2,3,4,5 1,2,3,4,5,5,6 1,2,3,4,5,5,6	3,4,5 3,4,5 3,4,5,5,5,6 1,2,3,4,5,5,5,5,6	2,4,5 3,4,5 3,4,5,5,6 2,3,4,5,5,6	ત્ ત્રુપપપપપ	3,4,5	1 2 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		
Record	1969 11956 11956 11956 11969 11969 11969 11969 11969 11969		1962 1968 1968 1964 1951 1951 1937		1959 1962 1962				1936 1936 1936 1936 1936	1960 1969 1937 1934		1962 1922 1955 1922 1922	1948	1965 1935 1948	1948 1948 1967	
	BASIN 314 304 304 304 304 268 268 268 268 314 314 324		184 184 125 134 224 224 224	158 178 178 178 168 150	981 986 986	12W 13W 12W 27W	278 138 148 150	158 138 138 178 169	138 138 138 138 198	188 188 178 198 238		147 177 167 168 168 178	Z	13W 12W 16W		10.
SNOW COURSES		30N 30N 36N 36N 26N 28N 28N 28N	2227 2227 228 X Z 28 X	25N 25N 25N 26U 20N	15N 15N 15N	8 0 0 N N N N N N N N N N N N N N N N N	12N 13N 13N	13N 13N 13N 10N 10N	15N 15N 15N	N N N S N S N S N S N S N S N S N S N S	2 S S S S S S S S S S S S S S S S S S S	35N 35N 35N 35N 35N 36N		125 45 85 145	145 105 105	14e
) 	BIA RI 5 5 112 122 123 135 14	18 25 31 31 31 31 32 32	24 24 24 24 24 24 24 24 24 24 24 24 24 2	5 7 7 7 7 7 7 7 7 7 7	26	122111	19 9 6 5	325011	115 119 119 33	28 20 16 5 5	25 25 34 32	24 1 27 27 27 36	JRI RI	22 17 25		
SNO	COLUMBIA RIVER 5700 6 27N 5600 4 32N 5600 4 32N 5600 10 26N 5600 10 26N 5600 12 30N 5600 1	6450 7300 7300 7300 6000 6000 6000 8450 8400 6400 6400	5200 6300 6300 6300 6300 6300 6300 6300 6	6130 6130 6100 6100 6200	710D 5700 6250	7200	\$450 \$450 \$450	4040 4040 7100 7260 7100	6500 6000 7780 6500 7400 6800	6480 7000 5400 7100 5900	5500 5600 5600 6510	\$800 \$600 \$700 \$500 \$800	MISSOURI RIVER	8400 7800 8100 6930	7400 7480 8100 7090	8830
Musber	15A11 15A11 15A18 15816 15816 15816 15A10 15A13 15A04 15A04	15A03 16A09 15A09 15A01 16A12 14A07 14A07 13A11 13A11	13804 13819 14809 13812 14803 14806 14806		13013	13000			13005 13018 13007 13006 13001 14801	13C16 13C32 13D01 13D02 14C07	14002 14001 13022 14C13 14C08	13418 13403 13404 13406 13408	13010	13015 13009 13009	11E03 13E01 13E23	12801
Drainage Basin & Course Name	KOOTENAI BIVER BAIVER BAIVER BAIVER PER PER PER PER PER PER PER PER PER P	Hawkina Luke- Keeler Greek Loss Soul Poorman Greek Red Mountain Stahl Pesk Weasel Divide FLATHEAD RIVER Sassoo Peak Seaver Lake Sig Greek Gap Greek	Fatch bountain Fatch obmutain Griffin Greek Divide Gnasign Lake Hell Raaring Gvide Kishenchn Logan Greek	Artise Totals Hineral Greek North Fork Jocko Spotted Bear Mountain Trinkus Lake Trinkus Lake Upper Holland Laka CLARK FORK RIVER	81ack Pine Copper Creek Cotter Mine	Ef Dorado Mine Fred Burr Pass Gold Creck Lake Heart Lake Trail	Hoodoo Gesin Hoodoo Greek Intergasid Lubrecht Forest No. 3	Lubrecht Forest No. 6 Lubrecht Forest No. 6 N. Fork Elk Creek Red Lion Skalkaho Summit Slide Rock Mountain	Southern Cross Spring Guleh Storm Lake Stuart Mill Stuart Mountain T, V. Mountain	BITTERROOT RIVER Ambrose Coyote Headows Trail East Fork R.S. Cibbons Pass Lost Horse	Nez Perce Camp 140 Nez Perce Camp 140 Saddle Hountain 110 Treivemile Greek 140 Tri lakes 140 CT MADPY DIVED RACIN	Mudaon 8ay Divide Iceberg Lake No. 3 Josephine Lover No. 9 Mount Allen No. 7 Piegan Pass No. 6 Prarmigan No. 8	BEAVERHEAD RIVER	Dad Greek Lake Elk Horn Springa Cold Stone	Lakeview Ridge Lemhi Pass Lemhi Ridge Trail Creek	White Pine Ridge

SNOW			THIS YEAR	PAST RECORD		
DRAINAGE BASIN and/or SNOW COUR	Date	Snow Depth		Water Content (inches)		
NAME	Elevation	of Survey	(Inches)	Water Content (Inches)	Last Year	Average
	COLLEGE	TUED DAGE	4			
	COLUMBIA R	IVER BASI	<u>. N</u>			
FLATHEAD RIVER						
Desert Mountain	5600	12/30	15	3.4	8.9	6.5
Hell Roaring Divide	5770	12/31	28	5.8	16.9	13.2*
Holbrook	4530	1/01	10	1.6A	8.0A	3.4
Marias Pass	5250	12/30	14	3.0	7.2	7.4
Spotted Bear Mountain	7000	1/01	22	4.2A	12.0A	6.5*
Twin Creeks	3580	1/01	18	3.2A	11.0A	5.0*
CLARK FORK RIVER						
Black Pine	7100	12/30	16	2.8	5.6	3.9*
Black Pine Pillow	7100	12/30	SP	3.7	7.0	5.1*
Combination	5600	12/30	4	0.5	-	-
Coyote Hill	4200	1/02	14	2.6	5.4	4.3*
Heart Lake Trail	4800	12/29	24	4.9	12.4	-
Hoodoo Basin	6000	12/29	53	12.9	28.1	-
Hoodoo Basin Pillow	6000	12/31	SP	11.5	-	-
Hoodoo Creek	5900	12/29	46	10.2	26.0	18.0*
Lookout	5250	12/31	36	9.0	18.8	15.7
Lubrecht Forest No. 3	5450	No Meas	urement		3.4	2.6*
Lubrecht Forest No. 4	4650	No Meas	urement		2.0	1.4*
Lubrecht Forest No. 6	4040		urement		2.1	1.6*
Storm Lake	7780	12/29	29	5.4	5.8	5.5*
Stuart Mountain	7400	·	urement		15.1	12.1*

BITTERROOT	RIVER

TV Mountain

Gibbons Pass	7100	1/02	28	5.6	10.4	9.6
Lolo Pass	5230	12/30	35	6.8	12.8	-
Lost Horse	5940	12/30	34	7.2	14.8	-
Moose Creek	6200	12/31	22	3.7	5.8	_
Saddle Mountain	7940	1/02	33	7.1	11.7	-
Saddle Mountain Pillow	7900	1/02	SP	7.8	14.1	-
Twelvemile Creek	5600	12/30	25	4.4	9.1	-
Twelvemile Creek Pillow	5600	12/30	SP	3.8	7.6	-
Twin Lakes	6510	12/30	42	9.5	19.6	-
Twin Lakes Pillow	6400	12/30	SP	9.1	20.6	-

6800


7.2

6.6*

No Measurement

A - Aerial observation - water content estimated.

SP - Snow pillow observation - water content only.



SNOW			THIS YEAR		PAST R	ECORD
DRAINAGE BASIN and/or SNOW COURSE		Date	Snow Depth	Water Content	Water Content (inches)	
NAME	Elevation	of Survey	(Inches)	(Inches)	Last Year	Average

MISSOURI RIVER BASIN

BEAVERHEAD RIVER						
Camp Creek	6800	12/31	16	3.3	5.1	3.5
Kilgore	6200	12/28	19	4.0	6.2	3.5*
Lakeview Canyon	6930	12/30	13	3.4	4.6	4.6*
Lakeview Ridge	7400	12/30	13	3.2	4.4	4.2*
Sawtelle Mountain	8715	12/30	48	11.9	15.0	-
JEFFERSON RIVER						
Pipestone Pass	7200	12/29	7	1.3	3.1	2.2*
Rocker Peak	8000	1/02	30	5.7	6.2	-
Rocker Peak Pillow	8000	1/02	SP	6.5	6.7	-

1/02

12/30

6500

6500

13

31

1.9

5.4

4.1

8.4

7.2

MADISO	N RIVER


Big Springs

Uncle Sam Gulch

0 or0		,				–
Hebgen Dam	6550	12/30	20	3.0	5.2	4.5
Island Park	6315	12/30	27	4.6	6.4	5.6
Lake Creek	6100	12/31	17	2.6	-	-
Lion Mountain	8760	12/30	38	8.5	-	-
Meridian Creek	7000	12/31	19	2.6	-	-
Norris Basin	7500	No Meas	urement		-	4.3*
Soap Bogus Divide	7600	1/02	33	5.5	-	-
Tepee Creek	8000	12/31	29	6.2	-	-
Valley View	6500	12/30	23	3.2	6.3	5.3
West Yellowstone	6700	12/30	18	3.7	5.9	4.3
West Yellowstone Pillow	6700	12/28	SP	2.4	4.9	_

SP - Snow pillow observation - water content only.

^{* -} Adjusted average.



SNOW		THIS YEAR	PAST RECORD				
DRAINAGE BASIN and/or SNOW COURSE		Date	Snow Depth	Water Content	Water Content (inches)		
NAME	Elevation	of Survey	(Inches)	(Inches)	Last Year	Average	
GALLATIN RIVER							
Arch Falls	7350	12/30	33	7.6	5.7	4.3*	
Bridger Bowl	7250	12/29	58	14.7	11.8	9.4%	
Bridger Bowl Pillow	7250	12/29	SP	14.0	11.9	9.3%	
Devils Slide	8100	12/30	53	13.0	10.0	8.6%	
Hood Meadow	6600	12/30	32	7.4	4.0	-	
Hood Meadow (New)	6600	12/30	36	8.2	4.6	-	
Lick Creek	6860	12/30	34	6.2	3.7	3.3%	
Lick Creek Pillow	6860	12/30	SP	5.9	2.9	3.3%	
Maynard Creek	6210	12/29	34	7.9	6.9	-	
Maynard Creek Pillow	6210	12/29	SP	5.7	5.1	-	
Shower Falls	8100	12/30	60	14.7	12.0	10.29	
Shower Falls Pillow	8100	12/30	SP	13.0	10.6	9.5%	
Twenty-One Mile	7150	12/31	23	4.6	9.2	7.2	
MISSOURI RIVER (Main Stem)							
Chessman Reservoir	6200	12/30	0	0.0	2.4	1.4	
Ten Mile Lower	6600	12/30	9	0.6	4.3	2.8	
Ten Mile Middle	6800	12/30	16	1.9	5.5	4.3	
Ten Mile Upper	8000	12/29	21	3.3	6.9	5.5	
		·					
SUN-TETON-MARIAS RIVERS							
Badger Pass	6900	1/01	85	19.0A	32.0A	-	
Blue Lake	5900	1/01	32	6.7A	22.0A	-	
UPPER YELLOWSTONE							
Canyon	7750	No Meas	surement		5.7	6.0	
Grizzly Peak	8400	12/30	37	8.4	5.8	7.2%	
Lake Camp	7850	12/30	13	1.5	3.8	3.5	
Lupine	7300	•	surement	- v -	-	4.2	
Northeast Entrance	7400	12/30	18	3.1	4.5	3.5	
Northeast Entrance Pillow	7400	12/31	SP	4.1	5.0	-	
Sylvan Pass	7100	1/02	21	3.5	5.9	5.5	
Thumb Divide	7900	1/02	26	4.9		8.8	

A - Aerial observation - water content only.

SP - Snow pillow observation - water content only.

* - Adjusted average.



STAŢION	Profile (Inches)		Soil Moisture (Inches)					
	Depth	Capacity	Date	This Year	Average +			
COLUMBIA RIVER BASIN								
<u> </u>	,111 111 1211	BIIOIII						
Kootenai			7 7 7 7					
Baree Trail Murphy Lake R.S.	48 48	7.5 22.6	11/12	5.5	5.9 18.9			
Raven R.S.	48	23.0	11/12	15.6	18.6			
Maven Maba	-10	23.0	11/12	13 00	10.0			
Flathead	- 4							
Desert Mountain	54	8.4		-	6.7			
Marias Pass	54	6.5		-	4.6			
Clark Fork								
Black Pine	48	10.0	10/30	7.6	8.0			
Seeley Lake R.S.	48	11.9	11/10	4.5	4.7			
Skalkaho Summit	48	10.8	10/30	10.1	-			
Bitterroot								
Gibbons Pass	48	7.1	10/30	3.9	5.7			
Lolo Pass	48	10.6	10/29	4.5	6.3			
MISSOU	RI RIVER	BASIN						
Beaverhead Lakeview	48	15.3	11/01	5.5	5.9			
Lakeview	40	17.5	11/01	ر , ر	3.9			
Madison								
West Yellowstone	48	6.5	10/28	1.8	-			
Gallatin								
Bridger Bowl	48	17.0		_	_			
College Site	54	14.5	10/31	14.8	8.1			
Lick Creek	48	18.8	10/27	18.4	-			
Twenty-One Mile	48	10.0	10/28	2.9	4.6			
Missouri Main Stem								
Kings Hill	48	11.8	10/31	5.9	8.0			
Stemple Pass	48	5.9	10/30	3.9	4.1			
Milk Beaver Creek	48	20.9	10/31	8.9	_			
Rocky Boy	46 36	10.1	10/31	9.4	-			
		20.2	20,02					
<u>Yellowstone</u>								
Battle Ridge	48	17.6	10/20	- F 0	11.6			
Northeast Entrance	48	9.4	10/28	5.0	7.2			



	Profile (Inches)		Soil Moisture (Inches)		
STAŢION	Depth	Capacity	Date	This Year	Average +
COLUMB	IA RIVER	BASTN			
Kootenai					
Baree Trail	48	7.5	12/03	5.4	6.7
Murphy Lake R.S.	48	22.6	11/20	19.3	19.4
Raven R.S.	48	23.0	12/03	16.5	20.4
Flathead					
Desert Mountain	54	8.4		-	_
Marias Pass	54	6.5	11/30	4.5	4.8
1.02 2.05			-2,00		, , , ,
Clark Fork					
Black Pine	48	10.0	12/01	7.3	8.5
Seeley Lake R.S.	48	11.9	12/01	4.3	5.5
Skalkaho Summit	48	10.8	12/01	9.8	-
Bitterroot					
Gibbons Pass	48	7.1	11/26	3.2	5.6
Lolo Pass	48	10.6	12/01	4.9	6.3
MISSOUL	RI RIVER	BASIN			
Beaverhead					
Lakeview	48	15.3	12/01	5.4	7.1
Madison					
West Yellowstone	48	6.5	11/28	1.6	-
Gallatin					
Bridger Bowl	48	17.0	12/01	16.6	_
College Site	54	14.5	11/28	14.9	9.7
Lick Creek	48	18.8	12/02	17.2	-
Twenty-One Mile	48	10.0	11/28	2.7	3.7
·					
Missouri Main Stem					
Kings Hill	48	11.8	11/28	6.7	7.9
Stemple Pass	48	5.9	12/01	3.6	4.2
Milk					
Beaver Creek	48	20.9	12/02	8.7	-
Rocky Boy	36	10.1	12/02	8.5	-
			.,		
<u>Yellowstone</u>					
Battle Ridge	48	17.6	12/01	13.1	12.6
Northeast Entrance	48	9.4	12/01	4.9	7.2



	Profile (Inches)		Soil Moisture (Inches)		
STATION	Depth	Capacity	Date	This Year	Average +
COLUMN	IA RIVER	BASTN			
COLORD	TY ICT VEIX	DITOTI			
Kootenai					
Baree Trail	48	7.5		-	-
Murphy Lake R.S.	48	22.6	1/07	19.2	19.6
Raven R.S.	48	23.0	Delayed		20.5
Flathead					
Desert Mountain	54	8.4	12/30	6.6	7.0
Marias Pass	54	6.5	12/29	4.6	4.8
Clark Fork					
Black Pine	48	10.0	12/30	7.0	7.4
Seeley Lake R.S.	48	11.9	1/02	4.1	6.4
Skalkaho Summit	48	10.8		-	-
Bitterroot					
Gibbons Pass	48	7.1	1/02	3.1	5.4
Lolo Pass	48	10.6	Delayed		6.7
MISSOU	RI RIVER I	BASIN			
D					
Beaverhead Lakeview	48	15.3	12/30	5.4	7.2
Lakeview	48	15.3	12/30	3.4	1.2
Madison					
West Yellowstone	48	6.5	Delayed		-
Gallatin					
Bridger Bowl	48	17.0	12/29	16.5	-
College Site	54	14.5	1/02	14.8	9.6
Lick Creek	48	18.8		-	-
Twenty-One Mile	48	10.0	Delayed		3.5
Missouri Main Stem					
Kings Hill	48	11.8	Delayed		7.3
Stemple Pass	48	5.9	12/30	3.4	4.1
Milk					
Beaver Creek	48	20.9	Delayed		-
Rocky Boy	36	10.1	Delayed		-
Yellowstone					
Battle Ridge	48	17.6	12/29	12.2	12.4
Northeast Entrance	48	9.4	12/31	4.0	6.9



RESERVOIR STORAGE (Thousand Acre Feet) END OF MONTH

				Usable Storage			
Basin or Stream	RESERVOIR	Usable Capacity	This Year	Last Year	Average		
COLUMBIA RIVER BA	STN						
GOLOMDIA KIVEK DA	BIN						
Flathead	Hungry Horse	3,428.0	2,012.0	3,147.0	2,766.		
	Flathead Lake	1,791.0	•				
	Camas (Sum of 4)	45.2	17.6	12.6	26.		
	Mission Valley						
	(Sum of 8)	100.3	21.7	82.8	28.		
Clark Fork	Georgetown Lake	31.0	28.6	30.0	26.		
	Noxon Rapids	334.6	325.6	314.1	321.		
Bitterroot	Como	34.9	4.3	14.2	6.		
	Painted Rocks	31.7	23.1	29.5	23.		
MISSOURI RIVER BA	SIN						
Beaverhead	Clark Canyon	328.9	141.0	151.3	122.		
, ou , o	Lima	84.0	40.3	45.5	22.		
Ruby	Ruby	38.8	23.8	27.2	18		
Madison	Hebgen Lake	377.5	266.4	299.5	170.		
14415011	Ennis Lake	41.0	35.0	35.0	37.		
Gallatin	Middle Creek	8.0	3.4	3.0	2.		
Missouri	Canyon Ferry	2,043.0	1,779.0				
11550411	Hauser & Helena	61.9	61.9	73.2	58		
	Lake Helena	10.4	10.4	10.7	9.		
	Holter Lake	81.9	78.8	64.9	70.		
	Smith River	10.7	4.4	7.5	5.		
	Durand	7.0	2.8	6.0	3.		
	Martinsdale	23.1	4.8	10.6	6.		
	Deadman's Basin	72.2	28.3	47.1	39.		
	Fort Peck	19,410.0	16,660.0				
Sun	Gibson	105.0	15.5	59.5	44.		
Juli	Willow Creek	32.3	17.7	20.4	20.		
	Pishkun	32.0	17.5	17.2	18.		
Marias	Lower Two Medicine	16.6	5.1	0	0		
lallas	Four Horns	19.2	12.8	Ū	12.		
	Swift	30.0	13.4	18.5	15.		
	Lake Frances	112.0	82.7	79.0	83.		
	Tiber		557.3	452.0	625.		
4: 11.		1,347.0					
	Fresno	127.2	73.5	90.3	61.		
	Nelson	66.8	49.4	46.7	44.		
V - 1 1	Lake Sherburne	66.1	14.0	20.8	15.		
Yellowstone	Mystic Lake	20.8	11.8	15.2	13.		
	Tongue River	68.0	29.6	30.4	18.		
Dia II-wa	Cooney	` 27.5	12.5	18.8	12.		
Big Horn	Yellowtail	1,356.0	790.8	786.6	626.		



Agencies and Organizations Cooperating in Montana Snow Surveys

- U. S. Forest Service
 Region I, Missoula, Montana
 Montana Forests and Ranger
 Districts
- U. S. Geological Survey Helena, Montana Portland, Oregon
- U. S. Army Corps of Engineers Portland, Oregon Seattle, Washington Walla Walla, Washington Omaha, Nebraska
- U. S. Indian Irrigation Service St. Ignatius, Montana
- U. S. Weather Bureau Helena, Montana Portland, Oregon Kansas City, Missouri
- U. S. Bureau of Sports Fisheries and Wildlife Red Rock Lakes Refuge Monida, Montana
- U. S. Bureau of Reclamation Billings, Montana Boise, Idaho
- U. S. Bonneville Power Administration Portland, Oregon

- U. S. Soil Conservation Service Montana, Wyoming, Idaho
- Soil and Water Conservation Districts
 Montana Counties
- U. S. National Park Service Yellowstone National Park Glacier National Park
- Montana Power Company Butte, Montana
- Montana Water Resources Board Helena, Montana
- North Montana Branch Station Agricultural Experiment Station Havre, Montana
- Montana State University
 Agricultural Experiment Station
 Bozeman, Montana
- University of Montana School of Forestry Missoula, Montana
- Water Rights Branch, Dept. of Lands and Forests Victoria, British Columbia
- Department of Energy, Mines and Resources Calgary, Alberta

UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE
P. O. BOX 98

BOZEMAN, MONTANA 59715

OFFICIAL BUSINESS

FEDERAL - STATE - PRIVATE

COOPERATIVE SNOW SURVEYS

Furnishes the basic data necessary for forecasting water supply for irrigation, domestic and municipal water supply, hydro-electric power generation, navigation, mining and industry

"The Conservation of Water begins with the Snow Survey"



POSTAGE AND FEES PAID U.S. DEPARTMENT OF AGRICULTURE

USDA - NATIONAL AGRICULTURAL LIBRARY CURRENT SERIAL RECORD BELTSVILLE, MD. 20705